

Specifications

Exterior design, features & lighting	'Plug-in Hybrid'	'Electric'
16" Alloys	•	-
17" Alloys	-	•
Tyre Mobility Kit	•	•
Michelin Tyres	•	•
Matt Black Colour Radiator Grille	•	-
Body Colour Radiator Grille	-	•
Roof Rails	•	•
Chrome Coated Exterior Door Handles	•	•
Chrome Beltline Mouldings	•	•
Black Side Sill & Wheel Arch Body Mouldings	•	•
Body Coloured / High Gloss Door Mirrors	•	•
Silver Painted Front & Rear Skid Plate	•	-
Electrically Folding, Adjustable & Heated Door Mirrors with Indicator Lights	•	•
Rear Spoiler	•	•
Towing Pack	OPT	-
Standard Paint	-	-
Premium Paint	•	•
Glass		
Tinted Front Glass with Sunband on Windshield	•	•
Privacy Glass (Rear Windows & Tailgate)	•	•
All-round Electric Windows with Driver's Auto Up & Down Function	•	•
Lighting		
LED Headlights with Bi-Function Projection	•	•
LED Daytime Running Lights	•	•
LED Rear Combination Lights	•	•
Automatic Headlight Control	•	•
LED Position Lights	•	•
LED Front Fog Lights	•	•
LED Rear Fog Lights	•	•
LED High Mounted Brake Light	•	•
Interior design, seating & lighting		
Satin Finish Interior Door Handles	•	•
Sunvisors with Vanity Mirror Illumination (Driver & Front Passenger)	•	•
Centre Console with Storage Box and Cupholders	•	•
Centre Console Cupholders	•	•
Front & Rear Door Storage	•	•
Rear Centre Armrests with Cupholder	•	•
Leather Trimmed Door Armrests	•	•
Aluminium Floor Pedals	•	•



Movement that inspires

The Niro

Please note that whilst every care has been taken to ensure that these specifications are current and correct, occasionally specification changes occur that may not be reflected in this document. Please check in the showroom and with your dealer that your chosen model has your required specification. Images are for illustrative purposes only and may not be to Irish specification.

(•) standard on trim (-) not available on trim (OPT) Optional (PHEV) Plug-in Hybrid (EV) Electric

Specifications

Interior design, seating & lighting (Continued)	'Plug-in Hybrid'	'Electric'
Seatback Pocket (Front Driver & Passenger)	•	•
Shift by Wire (SBW) Driver Rotary Dial - Drive, Reverse, Park	-	•
Ambient Mood Lighting	-	•
Front Cabin Light with Sunglasses Holder	•	•
Centre Room Lamp	•	•
Luggage Area Light	•	•
Luggage Area Load Cover	•	•
Luggage Net Hooks	•	•
Seating & Steering		
Grey Leather Upholstery	•	-
Dark Grey Leather Upholstery with Blue Piping	-	•
Heated Front Seats	•	•
Heated Rear Seats	-	•
All-round Height Adjustable Head Rests	•	•
Driver's Seat Manual Height Adjuster	•	•
Passenger's Seat Manual Height Adjuster	•	•
60:40 Split Rear Folding Seats	•	•
ISOFIX Child Seat Top Tethers & Anchor Fixings Outer Rear Seats	•	•
Leather Trimmed Steering Wheel	•	•
Heated Steering Wheel	•	•
Steering Wheel Mounted Controls	•	•
Paddle Shift mounted on Steering Wheel	•	•
Gear Selection Controlled by Paddle Shift Mounted on Steering Wheel	•	-
Regenerative Braking Level Controlled by Paddle Shift Mounted on Steering Wheel	•	•
Multimedia & Information		
10.25" Touchscreen Satellite Navigation with DAB Radio	•	•
Telematics System with UVO Connect Services	•	•
Multi-device Bluetooth® Connection with Voice Recognition & Music Streaming	•	•
Apple CarPlay™ and Android Auto™ with Voice Control	•	•
6-speaker Audio System	•	•
Wireless Mobile Phone Charger	•	•
Trip Computer - Distance, Fuel/ Energy Consumption, Average Speed	•	•
Digital Clock	•	•
Front USB Charge Port & 12V Socket	•	•
Charging Indicator on Dashboard	•	•
Front USB Charge Port & 12V Socket in Centre Console	•	•
Rear USB Charge Port x2	•	•
Luggage Area 12V Socket	•	•
Charging Indicator on Dashboard	•	•



Movement that inspires

The Niro

Please note that whilst every care has been taken to ensure that these specifications are current and correct, occasionally specification changes occur that may not be reflected in this document. Please check in the showroom and with your dealer that your chosen model has your required specification. Images are for illustrative purposes only and may not be to Irish specification.

(•) standard on trim (-) not available on trim (OPT) Optional (PHEV) Plug-in Hybrid (EV) Electric

Specifications

Multimedia & Information (continued)	'Plug-in Hybrid'	'Electric'
UVO Connect Features		
Remote Charging Control - Start, Stop, Schedule	-	•
Remote Climate Control - Start, Stop, Schedule	-	•
Vehicle Locator - Find My Car	•	•
Charging Station Locator - Distance, Plug Availability, Payment Method & Connector Types	•	•
Vehicle Status - Doors (Locked/ Unlocked), Ignition (On/Off), Battery & Charge Level	•	•
Push Notifications - Alarm Triggered, Vehicle Diagnostics	•	•
Driver Behavior Insights - Previous Journeys, Average Speed, Distance, Time in Transit	•	•
Journey Planner Syncing with Vehicle Satellite Navigation	•	•
Conveniences		
Security		
Driver Controlled Central Door Locking	•	•
Engine Start/Stop Button with Smart Entry System	•	•
Advanced Anti-Theft Alarm System	•	•
Locking Wheel Nuts	•	•
Engine Immobiliser	•	•
Visible Vehicle Identification No. (VIN)	•	•
Electric & Electronic		
Forward Collision Avoidance Assist (FCA) - City/Pedestrian/Cyclist/Junction	•	•
Lane Keep Assist (LKA)	•	•
Lane Follow Assist (LFA)	•	•
Parking Distance Warning Sensors (Reverse and Forward)	•	•
Reversing Camera System with Dynamic Guidelines (Integrated into Centre Fascia Screen)	•	•
Adaptive Smart Cruise Control with Stop & Go Functionality	•	•
High Beam Assist (HBA)	•	•
Auto-dimming Rear-view Mirror	•	•
Low Washer Fluid Warning	•	•
Tyre Pressure Monitoring System (TPMS)	•	•
Driver Attention Warning (DAW)	•	•
Drive Mode Select (Eco, Sport)	•	-
Drive Mode Select (Eco, Eco+, Sport)	-	•
PHEV Drive Mode Select - (EV Electric, HEV Hybrid)	•	-
7" Supervision Cluster with TFT Colour Display	•	-
7" Full TFT Colour Display Cluster	-	•
Ventilation		
Single Automatic Air Conditioning	-	•
Dual Automatic Air Conditioning	•	-
Automatic Defog System	•	•
Rear Ventilation Duct	•	•
Air Filter	•	•



Movement that inspires

The Niro

Please note that whilst every care has been taken to ensure that these specifications are current and correct, occasionally specification changes occur that may not be reflected in this document. Please check in the showroom and with your dealer that your chosen model has your required specification. Images are for illustrative purposes only and may not be to Irish specification.

(•) standard on trim (-) not available on trim (OPT) Optional (PHEV) Plug-in Hybrid (EV) Electric

Specifications

Chassis & Safety	'Plug-in Hybrid'	'Electric'
Brake System		
Front & Rear Discs - 15"	•	-
Front & Rear Discs - 16"	-	•
Electronic Parking Brake (EPB) With Auto Hold Function	•	•
Active Safety System		
Anti-Lock Braking System (ABS)	•	•
Electronic Stability Control (ESC)	•	•
Hill-start Assist Control (HAC)	•	•
Emergency Stop Signalling (ESS)	•	•
Liquid Battery Heating/ Cooling System	-	•
Steering System		
Motor Driven Power Steering	•	•
Tilt & Telescopic Steering Wheel Adjustment	•	•
Passive Safety		
Twin Front Airbags	•	•
Front Passenger Airbag Cut-off Switch	•	•
Twin Front Side Airbags	•	•
Twin Curtain Airbags with Roll-over Sensor	•	•
Knee Airbag (Driver)	•	•
All-round 3-point Seatbelts	•	•
Impact Sensing Auto Door Unlocking	•	•



Movement that inspires

The Niro

Please note that whilst every care has been taken to ensure that these specifications are current and correct, occasionally specification changes occur that may not be reflected in this document. Please check in the showroom and with your dealer that your chosen model has your required specification. Images are for illustrative purposes only and may not be to Irish specification.

(•) standard on trim (-) not available on trim (OPT) Optional (PHEV) Plug-in Hybrid (EV) Electric

Technical Specifications

	'Plug-in Hybrid'	'Electric'
ENGINE		
	Petrol 1.6 GDi (105ps)	Electric 64kWh lithium-ion polymer battery
Power (battery and engine combined)	141ps	204ps
DRIVETRAIN/MOTOR		
Cubic capacity	1,580	-
Max. power, bhp at rpm	139 /5700	201 / 3800~8000
Max. power, ps at rpm	141 /5700	204 / 3800~8000
Max. torque, Nm at rpm	265 / 1500~4500	395 / 0~3600
6 speed auto Dual-Clutch Transmission (DCT)	•	-
Single speed auto Transmission	-	•
GEAR RATIOS		
1st	3.867	2.263
2nd	2.217	-
3rd	1.371	-
4th	0.930	-
5th	0.956	-
6th	0.767	-
7th	-	-
Reverse	5.351	2.263
Final Gear Ratio	FGR 1: 4.438 FGR 2: 3.227	FGR 1: 3.526 / FGR 2: 3.526
SUSPENSION & TYRES		
Front suspension	McPherson	McPherson
Rear suspension	Multi-Link	Multi-Link
16" tyres	205/60R16	-
17" tyres	-	215/55R17
FUEL		
Fuel Type	Petrol	Electric
Fuel tank capacity, litres	43	-
Selective Catalytic Reduction (SCR)	-	-
SCR tank capacity, litres	-	-
REGULATED EMISSIONS		
Carbon Monoxide (mg/km)	74.7	-
Total Hydrocarbons (mg/km)	24.9	-
Nitrogen Oxide (mg/km)	7.5	-
Total Hydrocarbons + Nitrogen Oxide (mg/km)	-	-
Particulate Matter (mg/km)	0.13	-



Movement that inspires

The Niro

Please note that whilst every care has been taken to ensure that these specifications are current and correct, occasionally specification changes occur that may not be reflected in this document. Please check in the showroom and with your dealer that your chosen model has your required specification. Images are for illustrative purposes only and may not be to Irish specification.

(•) standard on trim (-) not available on trim (OPT) Optional (PHEV) Plug-in Hybrid (EV) Electric

Technical Specifications

	'Plug-in Hybrid'	'Electric'
MOTOR		
	Petrol 1.6 GDi (105ps)	Electric 64kWh lithium-ion polymer battery
Power (battery and engine combined)	141ps	204ps
BATTERY PACK		
Battery	8.9kWh Li-ion polymer battery	64kWh Li-ion polymer battery
Electric Motor	-	Permanent Magnet Synchronous Motor
Hybrid Type	Parallel (Transmission Mounted)	-
Electric Range EV Mode (km)	49	-
Drive Motor Max Power(kW)	59	150
Capacity (Ah)	24.7	180
Nominal Voltage (V)	360	356
Battery Weight (kg)	117	457
Number of Cells	96	294
Battery Position	Under boot panel - Sub Under rear seat - Main	Under floor
CHARGING		
Type 2 AC Charger	AC single-phase charging up to 3.3kW	AC single-phase charging up to 7.2kW AC 3-phase charging up to 11kW
AC Charge Time (230V)	-	29hrs (0% → 100%)
AC Charge Time (3.3kW)	2hrs 15mins (0% → 100%)	-
AC Charge Time (7.2kW charger)	-	9hrs 35mins (0% → 100%)
AC Charge Time (11kW 3-phase charger)	-	7hrs (0% → 100%)
DC Fast Charge Time (50kW charger)	-	1 hr 15 mins (0% → 80%)
DC Fast Charge Time (100kW charger)	-	54mins (0% → 80%)
3-pin AC Emergency Charger	AC single-phase charging up to 2.3kW	AC single-phase charging up to 2.3kW
3-pin AC Emergency Charge Time (2.3kW)	5hrs 02mins (0% → 100%)	27hrs (0% → 100%)



Movement that inspires

The Niro

Please note that whilst every care has been taken to ensure that these specifications are current and correct, occasionally specification changes occur that may not be reflected in this document. Please check in the showroom and with your dealer that your chosen model has your required specification. Images are for illustrative purposes only and may not be to Irish specification.

(●) standard on trim (-) not available on trim (OPT) Optional (PHEV) Plug-in Hybrid (EV) Electric

Technical Specifications

	'Plug-in Hybrid'	'Electric'
WLTP FUEL CONSUMPTION, EMISSIONS & PERFORMANCE INFORMATION		
Maximum speed (km/h) (EV only)	172 (120)	167
Acceleration 0-100km/h (seconds)	10.1	7.8
Fuel Consumption - Low (l/100km)	5.8	-
Fuel Consumption - Medium (l/100km)	4.4	-
Fuel Consumption - High (l/100km)	4.4	-
Fuel Consumption - Extra High (l/100km)	6.3	-
Fuel Consumption - Combined (l/100km)	5.3	-
Fuel Consumption - Weighted Combined (l/100km)	1.4	-
Regulated Emission Standard	Euro-6d	Euro-6d
Carbon Dioxide (CO ₂) Emissions (g/km)	31	0
Electric Energy Consumption (Wh/km)	-	159
Electric Energy Consumption (kWh/100km)	-	15.9
Electric Energy Consumption, ECAC Weighted (Wh/km)	122	-
Electric Energy Consumption, ECAC Weighted (kWh/100km)	12.2	-
Electric Range (km)	-	455
Electric Range City (km)	-	615
Electric Range, EAER Weighted (km)	49	-
Electric Range City, EAER Weighted (km)	65	-
DIMENSIONS, WEIGHT & CAPACITY		
Length (mm)	4355	4375
Width (mm)	1805	1805
Height (mm)	1535	1560
Wheelbase (mm)	2700	2700
Overhang front / rear (mm)	870 / 785	885 / 790
Head room first row / second row (mm)	1,018 / 993	1,024 / 994
Shoulder room first row / second row (mm)	1,500 / 1,475	1,500 / 1,475
Leg room first row / second row (mm)	1,059 / 950	1,052 / 1,060
Gross vehicle weight limit (kg)	2,000	2,230
Kerb weight (kg)	1,594	1,812
Gross train weight (kg)	3,330	-
Maximum braked trailer weight (kg)	1,300	-
Maximum un-braked trailer weight (kg)	750	-
Maximum tow ball weight (kg)	100	-
Luggage compartment capacity, rear seats upright (litres)	324	451
Luggage compartment capacity, rear seats folded (litres)	1,322	1,405



Movement that inspires



Please note that whilst every care has been taken to ensure that these specifications are current and correct, occasionally specification changes occur that may not be reflected in this document. Please check in the showroom and with your dealer that your chosen model has your required specification. Images are for illustrative purposes only and may not be to Irish specification.

(●) standard on trim (-) not available on trim (OPT) Optional (PHEV) Plug-in Hybrid (EV) Electric