The all-new Sportage

F.KE 722

F . KE 721





Exterior design, features & lighting	'K2′	'K3′	'K4'	'GT-line'
17" Alloys (215/65R17)	•			_
18" Alloys (235/55R18)	-	•	•	
19" Alloys (235/50R19)	_	PHEV Only		•
Michelin Tyres	•	PHEV Only	_	
Continental Tyres		•	•	•
Spare Wheel	•	•	•	
Tyre Mobility Kit (TMK)	-	DCT/HEV/PHEV	-	•
Body Coloured Door Handles	•	•	•	•
Silver Painted Front Bumper & Door Garnish	•	•	_	
Black 'Diamond' Mesh Radiator Grille	•	•	-	
Silver Painted Rear Skid Plate	•	•	-	
Matt Chrome Coated Front Bumper & Door Garnish	_	-	•	
High Gloss Black 'Diamond' Mesh Radiator Grille	-	-	•	
Hyper Silver Painted Rear Skid Plate	-	_	•	
Body Colour Front Bumper & Door Garnish	-	_	-	•
High Gloss Black 'Diamond' Mesh GT-line Radiator Grille	_	-	-	•
Chrome Coated Front & Rear Skid Plate	_	-	-	•
Body Coloured Door Mirrors	•	•	•	
Gloss Black Door Mirrors	-	_	-	•
Electrically Folding, Adjustable & Heated Door Mirrors with Indicators Lights	•	•	•	•
Roof Rails	•	•	•	•
Trailer Package	•	•	•	•
Standard paint	•	•	-	
Premium paint	•	•	•	•
Glass				
Tinted Glass (Front Windows & Windshield)	•	•	•	•
Tinted Glass (Rear Windows & Tailgate)	•		_	
Privacy Glass (Rear Windows & Tailgate)	_	•	•	•
All-round Electric Windows with Driver's Auto Up/Down Function	•			
All-round Electric Windows with Driver's Auto Up/Down & Safety Function		•	•	•
Panoramic Sunroof (Electric One-Touch with Safety Function)	-	-	OPT	-
Lighting				
LED Headlights with Low & High Projection				
Dual LED Headlights with Intelligent Adaptive High Beams	•	•	-	
LED Daytime Running Lights	-	-	•	•
Rear Combination Lights (LED & Bulb)	•	•	•	•
LED Rear Combination Lights	•	•	-	
Automatic Headlight Control	•	-	•	•
LED Position Lights		•	•	•
LED Front Fog Lights	•	•	-	•
Rear Fog Lamps	-	•	•	•
LED High Mounted Brake Light	•	•	•	•
	•	•	•	•



The Sportage

Movement that inspires

Interior Features, Seating & Lighting	'K2′	'K3'	'K4'	'GT-line'
Metallic Finish Interior Door Handles	•	•	•	-
Aluminium Pattern Finish to Center Fascia and Door Garnish	-	-	-	•
High Gloss Finish Center Fascia	-	DCT/HEV/PHEV	•	•
Central Console Storage	•	•	•	•
Shift by Wire Rotary Dial - Forward, Reverse, Park	-	DCT/HEV/PHEV	-	-
Net Hooks	٠	•	•	•
Seating & Steering				
Black Premium Cloth Seat Upholstery	•	-	-	-
Black Saturn Cloth & Faux Leather Seat Upholstery	-	•	-	-
Ice Coffee Beige Leather Seat Upholstery	-	-	•	-
Suede & Pressed Faux Leather Seat Upholstery	-	-	-	•
Driver Power Adjusted Seat with Lumbar Support	-	•	-	-
Driver Power Adjusted Memory Seat with 2-way Electric Lumbar	-	-	•	•
Front Passenger Power Adjusted Seat	-	•	•	•
Driver & Front Passenger Seat Height Adjustment	•	•	•	٠
Heated Front Seats	-	•	•	•
Heated Rear Seats	-	•	•	•
Ventilated Front Seats	-	-	•	٠
All-round Height Adjustable Head Rests	•	•	•	٠
Remote Folding Rear Seats	•	•	•	•
40:20:40 Split Rear Folding Seats	•	•	•	•
ISOFIX Child Seat Top Tethers & Anchor Fixings Outer Rear Seats	•	•	•	٠
Leather Wrapped Steering Wheel	•	•	•	-
D-Shaped Perforated Leather Wrapped Steering Wheel	-	-	-	•
Heated Steering Wheel	-	•	•	•
Steering Wheel Mounted Controls	•	•	•	٠
Paddle Shifters	-	DCT/HEV/PHEV	-	-
Lighting				
Front Cabin Light with Sunglasses Holder	•	•	•	•
Front Door Courtesy Reflectors	•	•	•	٠
Centre Cabin Light	•	•	•	•
Luggage Area Light	•	•	•	-
Luggage Area LED Light	-	-	OPT	-
Sunvisors with Vanity Mirror Illumination (Driver & Front Passenger)	•	•	•	•



The Sportage

Multimedia & Information	'K2'	'K3′	'K4'	'GT-line'
8" Touchscreen Infotainment	_			
12.3" Curved Touchscreen Navigation	•	-	-	
4.2" Integrated LCD Driver Display Screen	-	•	•	•
12.3" Curved Driver Display Screen	•	•	-	
Telematics System with Kia Connect (UVO)	-	-	•	•
Multi-device Bluetooth® Connection with Voice Recognition & Music Streaming	-	•	•	•
Apple CarPlay™ and Android Auto™ with Voice Control	•	•	•	•
6 Speaker Audio System	•	•	•	•
Trip Computer - Distance, Fuel Consumption, Average Speed	•	•	•	•
Digital Clock	•	•	•	•
	•	•	•	•
Wireless Mobile Phone Charger	-	-	•	•
Front USB Charge Port & 12V Socket in Centre Console	•	•	•	•
Rear USB Charger Ports X2	-	•	•	•
UVO Connect Features				
Vehicle Locator - Find My Car	_	•	•	•
Vehicle Status - Doors (Locked/ Unlocked), Ignition (On/Off)	_	•	•	•
Push Notifications - Alarm Triggered, Vehicle Diagnostics	_	•	•	•
Driver Behavior Insights - Previous Journeys, Average Speed, Distance, Time in Transit	-	•	•	•
Journey Planner Syncing with Vehicle Satellite Navigation	-	•	•	•
Conveniences Security				
Driver Controlled Central Door Locking	•	•	•	•
Remote Central Door Locking with Fold-away Key	•	•	-	-
Engine Start/Stop Button with Smart Entry System	_		•	•
Visible Vehicle Identification Number (VIN)	•	•	•	•
Door Deadlocks	•	•	•	•
Interior Door Lock/Unlock Function	•	•	•	•
Child Safety Rear Door Locks	•	•	•	•
Speed Sensing Auto Door Locking	•	•	•	•
Electric & Electronic Forward Collision Avoidance Assist (FCA) - City/Pedestrian/Cyclist		•	•	
Forward Collision Avoidance Assist (FCA) - City/Fedesinal/Cyclisi	•		•	•
Lane Keep Assist System (LKAS)	-	DCT/HEV/PHEV	-	-
Lane Follow Assist (LFA)	•	•	•	•
Parking Distance Warning Sensors (Reverse and Forward)	•	•	•	•
Reversing Camera System with Dynamic Guidelines	•	•	•	•
	•	•	•	•
Cruise Control & Speed Limiter	٠	•	•	•
Intelligent Stop & Go (ISG)	٠	•	•	•
Navigation Based Smart Cruise Control with Stop & Go Functionality	-	DCT/HEV/PHEV	-	-
Highway Driving Assist (HDA)	-	DCT/HEV/PHEV	-	-



The Sportage

Movement that inspires

Conveniences (Continued)	'K2′	'K3′	'K4′	'GT-line'
High Beam Assist (HBA)	•	•	•	•
Auto-dimming Rear-view Mirror	•	•	•	•
Low Washer Fluid Warning	•	•	•	•
Rain Sensing Front Wipers	•	•	•	•
Tyre Pressure Monitoring System (TPMS)	•	•	•	•
Manual Speed Limit Assist (MSLA)	•	•	•	•
Intelligent Speed Limit Assist (ISLA)	•	•	•	•
Driver Attention Warning (DAW)	•	•	•	•
Smart Power Tailgate with Adjustable Height	-	-	-	•
Drive Mode Select	•	٠	•	•
Ventilation				
Dual Automatic Air Conditioning	٠	٠	•	•
Automatic Window Defog System	٠	٠	•	•
Rear Ventilation Duct	٠	٠	٠	•
Air Filter	•	•	•	•
Chassis & Safety				
Brake System				
Front Discs - 17"	•	•	•	•
Rear Discs - 16"	٠	٠	•	•
Electronic Parking Brake (EPB) With Auto Hold Function	٠	٠	•	•
Active Safety System				
Anti-Lock Braking System (ABS) with Electronic Brakeforce Distribution (EBS)	•	•	•	•
Electronic Stability Control (ESC) with Downhill Brake Control (DBC)	•	•	•	•
Hill-Start Assist Control (HAC)	•	•	•	•
Emergency Stop Signalling (ESS)	•	•	•	•
Trailer Stability Assist (TSA)	•	•	•	•
Multi-Collision Brake (MCB)	•	•	•	•
Steering System				
Motor Driven Power Steering	•	•	•	•
Tilt & Telescopic Steering Wheel Adjustment	•	•	•	•
Airbags				
Twin Front Airbags	•	•	•	•
Twin Front Side Airbags	•	•	•	•
Twin Curtain Airbags with Roll-over Sensor	•	•	•	•
All-round 3-point Seatbelts	•	•	•	-
Read Door Child Locks	•	•	•	•
Height Adjustable Front Seatbelts	•	•	•	•
Impact Sensing Auto Door Unlocking	•	•	•	•
	•	*	•	•



The Sportage

Technical specifications

Engine 1.6 T-GDI HE V WD 1.6 T-GDI PHEV 4WD 1.6 CRDI Desel 2WD 1.6 CRDI MHEV DC Dicesel 2WD 1.6 CRDI MHEV Dicesel 2WD 1.6 CRDI MEV Dicesel 2WD <th></th> <th>'K3 HEV'</th> <th>'K3 PHEV'</th> <th>'K2', 'K3', 'K4'</th> <th>'K3 DCT'</th> <th>'GT-line'</th>		'K3 HEV'	'K3 PHEV'	'K2', 'K3', 'K4'	'K3 DCT'	'GT-line'
16 T-GDI HEV 2WD 1.6 T-GDI PHEV 4WD 1.6 CRDI MLEV Diesel 2WD 1.6 CRDI MLEV Diesel 2WD 1.6 CRDI MLEV Diesel 2WD Drivetrain 200 / 5500 1.598 1.59	Engine					
Cubic capacity 1,598 1,598 1,598 1,598 1,598 1,598 1,598 Max, power, ps at rpm 230 / 5500 265 / 5500 115 / 4000 136 / 4000 136 / 4000 136 / 4000 136 / 4000 320 / 500-4500 280 / 1500-2550 320 / 2000-2250	5					
Max. power, ps at rpm 230 / 5500 265 / 5500 115 / 4000 136 / 4000 136 / 4000 Max. torquer, Nm at rpm 350 / 1500-4500 350 / 1500-4500 280 / 1500-2750 320 / 2000-2250 320 / 2000-2250 6 speed Manual - - - - - - 6 speed Manual IMT - - - - - - 6 speed Automatic • - - - - - - 7 speed Automatic DCT -	Drivetrain					
Max. torquer, Nm at rpm 350/ 1500-4500 350/ 1500-4500 280/ 1500-2500 320/ 2000-2250 320/ 2000-2250 6 speed Manual 6 speed Manual iMT 6 speed Automatic DCT 7 speed Automatic DCT 7 speed Automatic DCT 7 speed Automatic DCT 7 speed Automatic DCT .	Cubic capacity	1,598	1,598	1,598	1,598	1,598
Max. torquer, Nm at rpm 350/ 1500-4500 350/ 1500-4500 280/ 1500-2500 320/ 2000-2250 320/ 2000-2250 6 speed Manual 6 speed Manual iMT 6 speed Automatic DCT 7 speed Automatic DCT 7 speed Automatic DCT 7 speed Automatic DCT 7 speed Automatic DCT .	Max. power, ps at rpm	230 / 5500	265 / 5500	115 / 4000	136 / 4000	136 / 4000
6 speed Manual iMT • • 6 speed Automatic • • 7 speed Automatic DCT • • Gear Ratios Stat 4.639 3.769 3.929 3.769 2nd 2.826 2.826 2.040 2.318 2.040 3rd 1.841 1.841 1.294 1.957 1.294 4th 1.386 1.386 0.951 1.023 0.951 5th 1.000 1.000 0.772 0.778 0.723 6th 0.772 0.772 0.569 0.837 0.569 7th - - 0.681 - - Reverse 3.385 3.385 3.583 5.304 3.583 Final Gear Ratio 3.320 3.368 4.333 4.929 4.467 Suspension & McPherson McPherson McPherson McPherson Rear suspension Multi-Link Multi-Link Multi-Link Multi-Link 17 types - - 235/55R18 - 235/55R18 - </td <td></td> <td>350/ 1500-4500</td> <td>350/ 1500-4500</td> <td>280/1500-2750</td> <td>320/ 2000-2250</td> <td>320/ 2000-2250</td>		350/ 1500-4500	350/ 1500-4500	280/1500-2750	320/ 2000-2250	320/ 2000-2250
• • • - - 7 speed Automatic C · •	6 speed Manual	-	-	•	-	-
7 speed Automatic DCT - - - - Gear Ratios 1st 4.639 4.639 3.769 3.929 3.769 2nd 2.826 2.826 2.040 2.318 2.040 3rd 1.841 1.294 1.957 1.294 4th 1.386 1.386 0.951 1.023 0.951 5th 1.000 1.000 0.723 0.778 0.723 6th 0.772 0.772 0.569 0.837 0.569 7th - - 0.681 - - Reverse 3.385 3.385 3.583 5.304 3.583 Final Gear Ratio 3.320 3.368 4.333 4.929 4.467 Suspension & McPherson McPherson McPherson McPherson McPherson Reverse - - 215/65R17 - - 12' tyres - - 215/65R17 - - 13' tyres - 235/55R18 235/55R18 - 235/55R18 - <t< td=""><td>6 speed Manual iMT</td><td>-</td><td>-</td><td>-</td><td>-</td><td>•</td></t<>	6 speed Manual iMT	-	-	-	-	•
Gear Ratios 1st 4.639 4.639 3.769 3.929 3.769 2nd 2.826 2.826 2.040 2.318 2.040 3rd 1.841 1.841 1.294 1.957 1.294 4th 1.386 1.386 0.951 1.023 0.951 5th 1.000 1.000 0.723 0.778 0.723 6th 0.772 0.772 0.569 0.837 0.569 7th - - 0.681 - - Reverse 3.385 3.385 3.583 5.304 3.583 Final Gear Ratio 3.320 3.368 4.333 4.929 4.467 Suspension & Tyres - - 215/65R7 - - Rear suspension Multi-Link Multi-Link Multi-Link Multi-Link Multi-Link 19" tyres - 235/55R18 - 235/55R18 - - 19" tyres 1 235/55R1	6 speed Automatic	•	•	-	_	
1st 4.639 4.639 3.769 3.929 3.769 2nd 2.826 2.826 2.040 2.318 2.040 3rd 1.841 1.841 1.294 1.957 1.294 4th 1.386 1.386 0.951 1.023 0.951 5th 1.000 1.000 0.723 0.778 0.723 6th 0.772 0.569 0.837 0.569 7th - - 0.681 - Reverse 3.385 3.385 3.583 5.304 3.583 Final Cear Ratio 3.320 3.368 4.333 4.929 4.467 Suspension & Tyres Front suspension McPherson McPherson McPherson Rear suspension Multi-Link Multi-Link Multi-Link Multi-Link 71* tyres - - 215/58718 - 195 9* tyres 235/55718 - 235/55718 - 235/50719	7 speed Automatic DCT	-	-	-	•	-
2nd 2.826 2.826 2.040 2.318 2.040 3rd 1.841 1.841 1.294 1.957 1.294 4th 1.386 1.386 0.951 1.023 0.951 5th 1.000 1.020 0.723 0.778 0.723 6th 0.772 0.569 0.837 0.569 7th - - 0.681 - Reverse 3.385 3.385 3.583 5.304 3.583 Final Gear Ratio 3.320 3.368 4.333 4.929 4.467 Suspension & Tyres - - 215/65R17 - - Front suspension McPherson McPherson McPherson McPherson Rear suspension Multi-Link Multi-Link Multi-Link Multi-Link Multi-Link 17* tyres - - 235/55R18 - - - 18* tyres 235/55R18 - 235/55R18 - - -	Gear Ratios					
3rd 1.841 1.841 1.294 1.957 1.294 4th 1.386 1.386 0.951 1.023 0.951 5th 1.000 1.000 0.723 0.778 0.723 6th 0.772 0.569 0.837 0.569 7th - - 0.681 - Reverse 3.385 3.385 3.583 5.304 3.583 Final Gear Ratio 3.320 3.368 4.333 4.929 4.467 Suspension & Tyres - - 215/65R17 - - Rear suspension McPherson McPherson McPherson McPherson Rear suspension Multi-Link Multi-Link Multi-Link Multi-Link Multi-Link Multi-Link 19" tyres - 235/55R18 - 235/55R18 - 235/50R19 - - 235/50R19 Fuel Type - 235/50R19 - - 235/50R19 - - <td< td=""><td>1st</td><td>4.639</td><td>4.639</td><td>3.769</td><td>3.929</td><td>3.769</td></td<>	1st	4.639	4.639	3.769	3.929	3.769
4th 1.386 1.386 0.951 1.023 0.951 5th 1.000 1.000 0.723 0.778 0.723 6th 0.772 0.569 0.837 0.569 7th - - 0.681 - Reverse 3.385 3.385 3.583 5.304 3.583 Final Gear Ratio 3.320 3.368 4.333 4.929 4.467 Suspension & Tyres - - 0.681 - - Front suspension McPherson McPherson McPherson McPherson Rear suspension Multi-Link Multi-Link Multi-Link Multi-Link Multi-Link 17" tyres - - 215/65R17 - - 18" tyres 235/55R18 - 235/55R18 235/55R18 - 19" tyres - 235/55R18 235/55R18 - 235/55R19 Fuel Type Petrol HEV Petrol PHEV Diesel DCT Diesel MHEV Fuel type Petrol HEV Petrol PHEV Diesel DCT Diesel MH	2nd	2.826	2.826	2.040	2.318	2.040
5th 1.000 1.000 0.723 0.778 0.723 6th 0.772 0.772 0.569 0.837 0.569 7th - - 0.681 - Reverse 3.385 3.385 3.583 5.304 3.583 Final Gear Ratio 3.320 3.368 4.333 4.929 4.467 Suspension & Tyres Front suspension McPherson McPherson McPherson McPherson Rear suspension Multi-Link	3rd	1.841	1.841	1.294	1.957	1.294
6th 0.772 0.772 0.569 0.837 0.569 7th - - 0.681 - Reverse 3.385 3.385 3.583 5.304 3.583 Final Gear Ratio 3.320 3.368 4.333 4.929 4.467 Suspension & Tyres Front suspension McPherson M	4th	1.386	1.386	0.951	1.023	0.951
7th - - 0.681 - Reverse 3.385 3.385 3.583 5.304 3.583 Final Gear Ratio 3.320 3.368 4.333 4.929 4.467 Suspension & Tyres - - McPherson McPherson McPherson Rear suspension Multi-Link Multi-Link Multi-Link Multi-Link Multi-Link 17" tyres - - 215/65R17 - - 18" tyres 235/55R18 - 235/55R18 - 235/50R19 19" tyres - 235/50R19 - - 235/50R19 Fuel - 235/50R19 - - 235/50R19 Fuel Type Petrol HEV Petrol PHEV Diesel Diesel DCT Diesel MHEV Fuel tank capacity, litres 52 42 54 54 54 Selective Catalytic Reduction (SCR) - - TBC TBC TBC Regulated Emissions -	5th	1.000	1.000	0.723	0.778	0.723
7th - - 0.681 - Reverse 3.385 3.385 3.583 5.304 3.583 Final Gear Ratio 3.320 3.368 4.333 4.929 4.467 Suspension & Tyres - - McPherson McPherson McPherson Rear suspension Multi-Link Multi-Link Multi-Link Multi-Link Multi-Link 17" tyres - - 215/65R17 - - 18" tyres 235/55R18 - 235/55R18 - 235/50R19 19" tyres - 235/50R19 - - 235/50R19 Fuel - 235/50R19 - - 235/50R19 Fuel Type Petrol HEV Petrol PHEV Diesel Diesel DCT Diesel MHEV Fuel tank capacity, litres 52 42 54 54 54 Selective Catalytic Reduction (SCR) - - TBC TBC TBC Regulated Emissions -	6th	0.772	0.772	0.569	0.837	0.569
Reverse 3.385 3.385 3.583 5.304 3.583 Final Gear Ratio 3.320 3.368 4.333 4.929 4.467 Suspension & Tyres Front suspension McPherson McPherson McPherson McPherson Rear suspension Multi-Link Stassions - - 235/50R19 -<		-		-		-
Suspension & TyresFront suspensionMcPhersonMcPhersonMcPhersonMcPhersonRear suspensionMulti-LinkMulti-LinkMulti-LinkMulti-LinkMulti-Link17" tyres215/65R1718" tyres235/55R18-235/55R18235/55R18-19" tyres-235/50R19235/50R19FuelFuel TypePetrol HEVPetrol PHEVDieselDiesel DCTDiesel MHEVFuel tank capacity, litres5242545454Selective Catalytic Reduction (SCR)SCR tank capacity, litresTBCTBCTBCRegulated EmissionsCarbon Monoxide (mg/km)119.9Nitrogen Oxide (mg/km)28.36.21514s18.7Total Hydrocarbons + Nitrogen45TBC57.3	Reverse	3.385	3.385	3.583		3.583
Front suspensionMcPhersonMcPhersonMcPhersonMcPhersonMcPhersonRear suspensionMulti-LinkMulti-LinkMulti-LinkMulti-LinkMulti-LinkMulti-Link17" tyres215/65R1718" tyres235/55R18-235/55R18235/55R18-19" tyres-235/50R19235/50R19FuelFuelFuel TypePetrol HEVPetrol PHEVDieselDiesel DCTDiesel MHEVFuel tank capacity, litres5242545454Selective Catalytic Reduction (SCR)00SCR tank capacity, litresTBCTBCTBCRegulated Emissions119.9Carbon Monoxide (mg/km)128.7118.277.2130107.2Total Hydrocarbons (mg/km)28.36.21514s18.7Total Hydrocarbons + Nitrogen4557.3	Final Gear Ratio	3.320	3.368	4.333	4.929	4.467
Front suspension McPherson McPherson McPherson McPherson McPherson Rear suspension Multi-Link	Suspension & Tyres					
Rear suspension Multi-Link Mu		McPherson	McPherson	McPherson	McPherson	McPherson
18" tyres 235/55R18 - 235/55R18 235/55R18 - 19" tyres - 235/50R19 - - 235/50R19 Fuel Emel Emel Emel Diesel Diesel DCT Diesel MHEV Fuel tank capacity, litres 52 42 54 54 54 Selective Catalytic Reduction (SCR) - - - • • SCR tank capacity, litres - - TBC TBC TBC Regulated Emissions - - - - - Carbon Monoxide (mg/km) 128.7 118.2 77.2 130 107.2 Total Hydrocarbons (mg/km) 11 9.9 - - - Nitrogen Oxide (mg/km) 28.3 6.2 15 14s 18.7 Total Hydrocarbons + Nitrogen Oxide (mg/km) - - - - - Oxide (mg/km) 28.3 6.2 15 14s 18.7	Rear suspension	Multi-Link	Multi-Link	Multi-Link	Multi-Link	Multi-Link
19" tyres-235/50R19235/50R19FuelFuel TypePetrol HEVPetrol PHEVDieselDiesel DCTDiesel MHEVFuel tank capacity, litres5242545454Selective Catalytic Reduction (SCR)•••SCR tank capacity, litresTBCTBCTBCRegulated EmissionsCarbon Monoxide (mg/km)128.7118.277.2130107.2Total Hydrocarbons (mg/km)119.9Nitrogen Oxide (mg/km)28.36.21514s18.7Total Hydrocarbons + Nitrogen45TBC57.3	17" tyres	-	-	215/65R17	-	-
FuelFuel TypePetrol HEVPetrol PHEVDieselDiesel DCTDiesel MHEVFuel tank capacity, litres5242545454Selective Catalytic Reduction (SCR)•••SCR tank capacity, litresTBCTBCTBCRegulated EmissionsTBCTBCTBCCarbon Monoxide (mg/km)128.7118.277.2130107.2Total Hydrocarbons (mg/km)119.9Nitrogen Oxide (mg/km)28.36.21514s18.7Total Hydrocarbons + Nitrogen Oxide (mg/km)45TBC57.3	18" tyres	235/55R18	-	235/55R18	235/55R18	-
Fuel TypePetrol HEVPetrol PHEVDieselDiesel DCTDiesel MHEVFuel tank capacity, litres5242545454Selective Catalytic Reduction (SCR)•••SCR tank capacity, litresTBCTBCTBCSCR tank capacity, litresTBCTBCTBCCarbon Monoxide (mg/km)128.7118.277.2130107.2Total Hydrocarbons (mg/km)119.9Nitrogen Oxide (mg/km)28.36.21514s18.7Total Hydrocarbons + Nitrogen Oxide (mg/km)45TBC57.3	19" tyres	-	235/50R19	-	-	235/50R19
Fuel tank capacity, litres5242545454Selective Catalytic Reduction (SCR)•••SCR tank capacity, litresTBCTBCTBCRegulated EmissionsCarbon Monoxide (mg/km)128.7118.277.2130107.2Total Hydrocarbons (mg/km)119.9Nitrogen Oxide (mg/km)28.36.21514s18.7Total Hydrocarbons + Nitrogen Oxide (mg/km)45TBC	Fuel					
Selective Catalytic Reduction (SCR)•••SCR tank capacity, litresTBCTBCTBCRegulated EmissionsCarbon Monoxide (mg/km)128.7118.277.2130107.2Total Hydrocarbons (mg/km)119.9Nitrogen Oxide (mg/km)28.36.21514s18.7Total Hydrocarbons + Nitrogen Oxide (mg/km)Oxide (mg/km)28.36.21514s18.7	Fuel Type	Petrol HEV	Petrol PHEV	Diesel	Diesel DCT	Diesel MHEV
SCR tank capacity, litres - - TBC TBC TBC Regulated Emissions - - TB2 TD2 TD2 <tht< td=""><td>Fuel tank capacity, litres</td><td>52</td><td>42</td><td>54</td><td>54</td><td>54</td></tht<>	Fuel tank capacity, litres	52	42	54	54	54
Regulated Emissions Carbon Monoxide (mg/km) 128.7 118.2 77.2 130 107.2 Total Hydrocarbons (mg/km) 11 9.9 - - - Nitrogen Oxide (mg/km) 28.3 6.2 15 14s 18.7 Total Hydrocarbons + Nitrogen Oxide (mg/km) - - - - - Oxide (mg/km) - - 45 TBC 57.3	Selective Catalytic Reduction (SCR)	-	-	•	•	•
Carbon Monoxide (mg/km) 128.7 118.2 77.2 130 107.2 Total Hydrocarbons (mg/km) 11 9.9 - - - Nitrogen Oxide (mg/km) 28.3 6.2 15 14s 18.7 Total Hydrocarbons + Nitrogen Oxide (mg/km) - - 45 TBC 57.3	SCR tank capacity, litres	-	-	TBC	TBC	TBC
Total Hydrocarbons (mg/km)119.9Nitrogen Oxide (mg/km)28.36.21514s18.7Total Hydrocarbons + Nitrogen Oxide (mg/km)45TBC57.3						
Nitrogen Oxide (mg/km)28.36.21514s18.7Total Hydrocarbons + Nitrogen Oxide (mg/km)45TBC 57.357.3	Carbon Monoxide (mg/km)			77.2	130	107.2
Total Hydrocarbons + Nitrogen 45 TBC 57.3	Total Hydrocarbons (mg/km)	11	9.9	-	-	-
Oxide (mg/km) 57.3	Nitrogen Oxide (mg/km)	28.3	6.2	15	14s	18.7
		-	-	45	TBC	57.3
	Particulate Matter (mg/km)	0.20	0.20	0.09	TBC	0.09



The Sportage

Technical specifications

	'K3 HEV'	'K3 PHEV'	'K2', 'K3', 'K4'	'K3 DCT'	'GT-line'
Engine					
	1.6 T-GDi	1.6 T-GDi	1.6 CRDi	1.6 CRDi MHEV	1.6 CRDi MHE
	HEV 2WD	PHEV 4WD	Diesel 2WD	DCT Diesel 2WD	Diesel 2WD
Battery					
Battery	1.49kWh Li-ion polymer battery	13.8kWh Li-ion polymer battery	-	-	-
Hybrid Type	TMED	TMED	-	LIPB	LIPB
Electric Range EV Mode (km)	-	-	-	-	-
Drive Motor Max Power(kW)	44.2	66.9	-	12.5	12.5
Capacity (Ah)	5.5	38.3	-	9.7	9.7
Nominal Voltage (V)	270	360	-	45	45
Battery Weight (kg)	37.5	14-	-	12	12
Number of Cells	TBC	TBC	-	-	-
Battery Position	Under rear seat	Under Cabin Area	-	-	-
Charging	-	AC single-phase	-		-
3-pin AC Emergency Charger		charging up to 2.3kW		_	
8-pin AC Emergency Charge Time 2.3kW)	-	5hrs 45mins (10% → 100%)	-	-	-
ype 2 AC Charger	-	AC single-phase charging up to 7.2kW	-	-	-
ype 2 AC Charge Time (7.2kW)	-	1hrs 45mins (10% → 100%)	-	-	-
Charging Cables					
Type 2 to Type 2 charger (5m cable ength)	-	•	-	-	-
Type 2 to 3-pin AC Emergency Charger	-	•	-		-
Type 2 to 3-pin AC Emergency Charger		٠	-		-
Type 2 to 3-pin AC Emergency Charger NLTP Fuel Consumption, Emissions		٠	-		-
Type 2 to 3-pin AC Emergency Charger WLTP Fuel Consumption, Emissions Performance Information		• 191	- 175	189	- 180
Type 2 to 3-pin AC Emergency Charger VLTP Fuel Consumption, Emissions Performance Information Maximum speed (km/h)	And		- 175 12.1	189 8.9	- 180 11.4
ype 2 to 3-pin AC Emergency Charger VLTP Fuel Consumption, Emissions Performance Information Maximum speed (km/h) Acceleration 0-100km/h (seconds)	And 193	191			
Type 2 to 3-pin AC Emergency Charger WLTP Fuel Consumption, Emissions Performance Information Maximum speed (km/h) Acceleration 0-100km/h (seconds) Fuel Consumption - Low (I/100km)	And 193 8 5.9	191 8.2	12.1	8.9	11.4
Type 2 to 3-pin AC Emergency Charger WLTP Fuel Consumption, Emissions Performance Information Maximum speed (km/h) Acceleration 0-100km/h (seconds) Fuel Consumption - Low (I/100km) Fuel Consumption - Medium (I/100km)	And 193 8 5.9	191 8.2	12.1 5.8	8.9 5.4	11.4 5.5
Type 2 to 3-pin AC Emergency Charger WLTP Fuel Consumption, Emissions Performance Information Maximum speed (km/h) Acceleration 0-100km/h (seconds) Fuel Consumption - Low (I/100km) Fuel Consumption - Medium (I/100km)	And 193 8 5.9) 4.8 4.9	191 8.2 - -	12.1 5.8 5.1	8.9 5.4 5.1	11.4 5.5 4.9
Type 2 to 3-pin AC Emergency Charger WLTP Fuel Consumption, Emissions Performance Information Maximum speed (km/h) Acceleration 0-100km/h (seconds) Fuel Consumption - Low (I/100km) Fuel Consumption - Medium (I/100km) Fuel Consumption - High (I/100km) Fuel Consumption - Extra High (I/100km)	And 193 8 5.9) 4.8 4.9 (m) 6.9	191 8.2 - -	12.1 5.8 5.1 4.5	8.9 5.4 5.1 4.4	11.4 5.5 4.9 4.3
Ype 2 to 3-pin AC Emergency Charger VLTP Fuel Consumption, Emissions Performance Information Maximum speed (km/h) Acceleration 0-100km/h (seconds) Fuel Consumption - Low (I/100km) Fuel Consumption - Medium (I/100km) Fuel Consumption - High (I/100km) Fuel Consumption - Extra High (I/100k Fuel Consumption - Combined (I/100k Fuel Consumption - Wighted Combine	And 193 8 5.9) 4.8 4.9 (m) 6.9 (m) 5.7	191 8.2 - -	12.1 5.8 5.1 4.5 5.6	8.9 5.4 5.1 4.4 5.8	11.4 5.5 4.9 4.3 5.6
Type 2 to 3-pin AC Emergency Charger NLTP Fuel Consumption, Emissions Performance Information Maximum speed (km/h) Acceleration 0-100km/h (seconds) Fuel Consumption - Low (I/100km) Fuel Consumption - Medium (I/100km) Fuel Consumption - High (I/100km) Fuel Consumption - Extra High (I/100k Fuel Consumption - Combined (I/100k Fuel Consumption - Wighted Combine I/100km)	And 193 8 5.9) 4.8 4.9 (m) 6.9 (m) 5.7	191 8.2 - - - - - 1.1	12.1 5.8 5.1 4.5 5.6	8.9 5.4 5.1 4.4 5.8	11.4 5.5 4.9 4.3 5.6
Type 2 to 3-pin AC Emergency Charger NLTP Fuel Consumption, Emissions Performance Information Maximum speed (km/h) Acceleration 0-100km/h (seconds) Fuel Consumption - Low (I/100km) Fuel Consumption - Medium (I/100km) Fuel Consumption - High (I/100km) Fuel Consumption - Extra High (I/100k Fuel Consumption - Combined (I/100k Fuel Consumption - Wighted Combine I/100km) Regulated Emission Standard	And 193 8 5.9) 4.8 4.9 (m) 6.9 (m) 5.7 ed - Euro-6d	191 8.2 - - - - - 1.1 Euro-6d	12.1 5.8 5.1 4.5 5.6 5.3 - Euro-6d	8.9 5.4 5.1 4.4 5.8 5.2 - Euro-6d	11.4 5.5 4.9 4.3 5.6 5.0 - Euro-6d
Type 2 to 3-pin AC Emergency Charger WLTP Fuel Consumption, Emissions Performance Information Maximum speed (km/h) Acceleration 0-100km/h (seconds) Fuel Consumption - Low (I/100km) Fuel Consumption - Medium (I/100km) Fuel Consumption - High (I/100km) Fuel Consumption - Extra High (I/100k Fuel Consumption - Extra High (I/100k Fuel Consumption - Combined (I/100k Fuel Consumption - Wighted Combine I/100km) Regulated Emission Standard Carbon Dioxide (CO ²) Emissions (g/km Electric Energy Consumption, Weighte	And 193 8 5.9) 4.8 4.9 (m) 6.9 (m) 5.7 (d - Euro-6d n) 130	191 8.2 - - - - - 1.1	12.1 5.8 5.1 4.5 5.6 5.3 -	8.9 5.4 5.1 4.4 5.8 5.2 -	11.4 5.5 4.9 4.3 5.6 5.0 -
Type 2 to 3-pin AC Emergency Charger WLTP Fuel Consumption, Emissions Performance Information Maximum speed (km/h) Acceleration 0-100km/h (seconds) Fuel Consumption - Low (I/100km) Fuel Consumption - Medium (I/100km) Fuel Consumption - Medium (I/100km) Fuel Consumption - Extra High (I/100k Fuel Consumption - Extra High (I/100k Fuel Consumption - Combined (I/100k Fuel Consumption - Combined (I/100k Fuel Consumption - Combined (I/100k Fuel Consumption - Wighted Combine I/100km) Regulated Emission Standard Carbon Dioxide (CO ²) Emissions (g/km Electric Energy Consumption, Weighte Wh/km) Electric Energy Consumption, Weighte	And 193 8 5.9) 4.8 4.9 (m) 6.9 (m) 5.7 (d - Euro-6d 1) 130 (d - (m) 130 (d - (m) - (m) 130 (m) - (m) - (m) 130 (m) - (m) - (m) 130 (m) - (m) 130 (m) - (m) 130 (m)	191 8.2 - - - - - 1.1 Euro-6d 25	12.1 5.8 5.1 4.5 5.6 5.3 - Euro-6d	8.9 5.4 5.1 4.4 5.8 5.2 - Euro-6d	11.4 5.5 4.9 4.3 5.6 5.0 - Euro-6d
Type 2 to 3-pin AC Emergency Charger WLTP Fuel Consumption, Emissions Performance Information Maximum speed (km/h) Acceleration 0-100km/h (seconds) Fuel Consumption - Low (I/100km) Fuel Consumption - Medium (I/100km) Fuel Consumption - Medium (I/100km) Fuel Consumption - High (I/100km) Fuel Consumption - Extra High (I/100km) Fuel Consumption - Extra High (I/100km) Fuel Consumption - Combined (I/100km) Fuel Consumption - Wighted Combine I/100km) Regulated Emission Standard Carbon Dioxide (CO ²) Emissions (g/km Electric Energy Consumption, Weighte Wh/km)	And 193 8 5.9) 4.8 4.9 (m) 6.9 (m) 5.7 (d - Euro-6d 1) 130 (d - (m) 130 (d - (m) - (m) 130 (m) - (m) - (m) 130 (m) - (m) - (m) 130 (m) - (m) 130 (m) - (m) 130 (m)	191 8.2 - - - - 1.1 Euro-6d 25 169	12.1 5.8 5.1 4.5 5.6 5.3 - Euro-6d 139 -	8.9 5.4 5.1 4.4 5.8 5.2 - Euro-6d	11.4 5.5 4.9 4.3 5.6 5.0 - Euro-6d 132 -





The Sportage

Movement that inspires

Technical specifications

	'K3 HEV'	'K3 PHEV'	'K2', 'K3', 'K4'	'GT-line'
Dimensions, Weight & Capacity				
Length (mm)	4,515	4,515	4,515	4,515
Width (mm)	1,865	1,865	1,865	1,865
Height (mm)	1,650	1,650	1,650	1,650
Wheelbase (mm)	2,680	2,680	2,680	2,680
Overhang front / rear (mm)	905 / 930	905 / 930	905 / 930	905 / 930
Head room first row / second row	1,008 / 998	1,008 / 998	1,008 / 998	1,008 / 998
Shoulder room first row / second row	1,461 / 1,414	1,461 / 1,414	1,461 / 1,414	1,461 / 1,414
Leg room first row / second row	1,052 / 996	1,052 / 996	1,052 / 996	1,052 / 996
Gross vehicle weight limit (kg)	2,175	TBC	2,110	2,145
Kerb weight (kg)	1,704	TBC	1,640	1,668
Gross train weight (kg)	3,825	TBC	3,760	4,095
Maximum braked trailer weight (kg)	1,650	TBC	1,650	1,650
Maximum un-braked trailer weight (kg)	750	TBC	750	750
Maximum tow ball weight (kg)	100	TBC	100	100
Luggage compartment capacity, rear seats upright, litres	587	540	571	526
Luggage compartment capacity, rear seats folded, litres	1,776	1,715	1,760	1,715





*with 18" (18" not applicable on Plug-in Hybrid)

1615*

1,865



The Sportage

Model Comparison

EXTERIOR BODY COLOURS



Casa White Pearl (K2, K3)



Machined Bronze (K3)**



Black Pearl (K2, K3, K4, GT-line)



Lunar Silver (K2, K3, K4, GT-line))



Infra Red (K2, K3, K4, GT-line)



Penta Metal (K2, K3, K4, GT-line)



Yuka Steel Grey (K3, K4)



Deluxe White Pearl (K3 PHEV, K4, GT-line)



Experience Green (K4)



Orange Fusion (GT-line) **ICE / HEV Only

INTERIOR TRIM



K2 - Black Premium Cloth Seat Upholstery



K3 - Black Saturn Cloth & Faux Leather Seat Upholstery

WHEEL DESIGN



K4 - Ice Coffee Beige Leather Seat Upholstery



GT-line - Suede & Pressed Faux Leather Seat Upholstery



K2 - 17" Alloys



K3, K4 - 18" Alloys



K3 PHEV - 19" Alloys



GT-line - 19" Alloy





Please note that whilst every care has been taken to ensure that these specifications are current and correct, occasionally specification changes occur that may not be reflected in this document. Please check in the showroom and with your dealer that your chosen model has your required specification. Images are for illustrative purposes only and may not be to Irish specification.