# The XCeed

Exterior design, features & lighting	'PHEV'
18" Alloys	•
Tyre Mobility Kit (TMK)	•
Michelin Tyres	•
Black & Satin Chrome Radiator Closed Grille	•
Silver Roof Rails	•
Body Coloured Exterior Door Handles	•
Chrome Window Surrounds	•
Body Coloured Door Mirrors With Matt Black Lower Housing	•
Electrically Folding Door Mirrors with Indicators Lights	•
Body Coloured Shark Fin Antenna	•
Body Coloured Rear Spolier	•
Body Coloured Bumper	•
Black Wheel Arch Trims	•
Black with Satin Chrome Side Sill Mouldings	•
Trailer Package	•
Standard Paint	•
Premium Paint	OPT
Glass Tinted Front Glass with Sunband on Windshield	•
Privacy Glass (Rear Windows & Tailgate)	•
All-round Electric Windows with Driver's Auto Up & Down Function	•
Lighting	
LED Headlights with Bi-Function Projection	•
LED Daytime Running Lights	•
LED Rear Combination Lights	•
Automatic Headlight Control	•
Front Fog Lights	•
LED Rear Fog Lights	•
LED High Mounted Brake Light	•
Interior design, seating & lighting	
Satin Finish Interior Door Handles	•
Sunvisors with Vanity Mirror Illumination (Driver & Front Passenger)	•
Centre Console with Storage Box, Cupholders and Sliding Cover	•
Rear Centre Armrest with Cupholders	•
Front & Rear Door Storage	•
Leather Trimmed Door Armrests	•
Aluminium Floor Pedals	•



The XCeed

Interior design, seating & lighting (Continued)	'PHEV'
Faux Leather Door & Centre Armrest Trim	•
Metallic Etched Door Scuff	•
Aluminium Floor Pedals	•
Seatback Pocket (Front Driver & Passenger)	•
Front Cabin Light with Sunglasses Holder	•
Rear Cabin Light	•
Luggage Area Light	•
Luggage Area Parcel Shelf	•
Luggage Hooks	•
Seating & Steering	
Dark Grey Cloth and Faux Leather Seat Bolsters with Blue	•
All-round Height Adjustable Head Rests	•
Driver Seat Height Adjuster	•
Front Passenger Seat Height Adjuster	•
60:40 Split Rear Folding Seats	•
ISOFIX Child Seat Top Tethers & Anchor Fixings (Outer Rear Seats)	•
Leather Trimmed Steering Wheel & Gearshift	•
Multimedia & Information	
8" Touchscreen Navigation with DAB Radio	•
Multi-device Bluetooth® Connection with Voice Recognition & Music Streaming	•
Apple CarPlay™ and Android Auto™ with Voice Control	•
6-speaker Audio System	•
Wireless Mobile Phone Charger	•
Trip Computer - Distance, Fuel/Energy Consumption, Average Speed	•
Digital Clock	•
Front USB Charge Port	•
Front 12V Charging Port	•
Luggage 12V Power Socket	•
Charging Indicator on Dashboard	•



The XCeed

Conveniences	'PHEV'
Security	
Engine Start/Stop Button with Smart Entry System	•
Engine Immobiliser	•
Door Deadlocks	•
Visible Vehicle Identification No. (VIN)	•
Electric & Electronic	
Forward Collision Avoidance Assist (FCA) - City/Pedestrian	•
Lane Keep Assist (LKA)	•
Reverse Parking Sensors with Off-Switch	•
Reversing Camera System with Dynamic Guidelines (Integrated into Centre Fascia Screen)	•
High Beam Assist (HBA)	•
Auto-dimming Rear-view Mirror	•
Low Washer Fluid Warning	•
Tyre Pressure Monitoring System (TPMS)	•
Seatbelt Reminder Warning	•
Driver Attention Warning (DAW)	•
Drive Mode Select (EV, HEV, Sport)	•
4.2" Coloured Supervision Cluster Display	•
Ventilation	
Dual-zone Automatic Air Conditioning	•
Automatic Defog System	•
Rear Ventilation Duct	•
Air Filter	•



The XCeed

Chassis & Safety	'PHEV'
Brake System	
Front Discs - 16"	•
Rear Discs - 15"	•
Electronic Parking Brake (EPB) With Auto Hold Function	•
Active Safety System	
Anti-Lock Braking System (ABS)	•
Electronic Stability Control (ESC)	•
Hill-start Assist Control (HAC)	•
Emergency Stop Signalling (ESS)	•
Steering System	
Motor Driven Power Steering	•
Tilt & Telescopic Steering Wheel Adjustment	•
Passive Safety	
Twin Front Airbags	•
Front Passenger Airbag Cut-off Switch	•
Twin Front Side Airbags	•
Twin Curtain Airbags	•
All-round 3-point Seatbelts	•
mpact Sensing Auto Door Unlocking	•



The XCeed

# **Technical Specifications**

	'PHEV'
ENGINE	
	Petrol 1.6 GDi
	(105ps)
Power (battery and engine combined) -	141ps
DRIVETRAIN/MOTOR	
Cubic capacity	1,580
Max. power, bhp at rpm	139 /5700
Max. power, ps at rpm	141 /5700
Max. torque, Nm at rpm	265 / 1,500~4,500
6 speed auto Dual-Clutch Transmission (DCT)	•
GEAR RATIOS	
1st	3.867
2nd	2.217
3rd	1.371
4th	0.93
5th	0.956
6th	0.767
Reverse	5.351
Final Gear Ratio	FGR 1: 4.438 FGR 2: 3.227
SUSPENSION & TYRES	
Front suspension	McPherson Strut
Rear suspension	Multi-Link
18" tyres	235/45 R18
FUEL	
Fuel Type	Petrol PHEV
Fuel tank capacity, litres	37
Selective Catalytic Reduction (SCR)	-
SCR tank capacity, litres	-
REGULATED EMISSIONS	
Carbon Monoxide (mg/km)	77.2
Total Hydrocarbons (mg/km)	16.61
Nitrogen Oxide (mg/km)	9.39
Total Hydrocarbons + Nitrogen Oxide (mg/km)	-
Particulate Matter (mg/km)	0.22



The XCeed

# **Technical Specifications**

	'PHEV'
ENGINE	
	Petrol 1.6 GDi (105ps)
Power (battery and engine combined)	141ps
BATTERY PACK	
Battery	8.9kWh Li-ion polymer battery
Hybrid Type	Parallel (Transmission Mounted)
Electric Range EV Mode (km)	42
Drive Motor Max Power(kW)	59
Capacity (Ah)	24.7
Nominal Voltage (V)	360
Battery Weight (kg)	117
Number of Cells	96
Battery Position	Under boot panel - Sub Under rear seat - Main
CHARGING	
Type 2 AC Charger	AC single-phase charging up to 3.3kW
AC Charge Time (3.3kW)	2hrs 15mins (0% → 100%)
3-pin AC Emergency Charger	AC single-phase charging up to 2.3kW
3-pin AC Emergency Charge Time (2.3kW)	5hrs 02mins (0% → 100%)



The XCeed

# **Technical Specifications**

Maximum speed (km/h) (EV only)         188 (120)           Acceleration O-100km/h (seconds)         11           Fuel Consumption - Low (I/100km)         -           Fuel Consumption - High (I/100km)         -           Fuel Consumption - Extra High (I/100km)         -           Fuel Consumption - Extra High (I/100km)         -           Fuel Consumption - Weighted Combined (I/100km)         -           Fuel Consumption - Weighted Combined (I/100km)         1.7           Regulated Emission Standard         Euro-6d           Carbon Dioxide (CO2) Emissions (g/km)         38           Electric Energy Consumption, ECAC Weighted (km/km)         13.2           Electric Energy Consumption, ECAC Weighted (kWh/100km)         13.2           Electric Range, EARR Weighted (km)         42           Electric Range City, EAER Weighted (km)         42           Electric Range City, EAER Weighted (km)         1,826           Every Ength (mm)         4,395           Midth (mm)         1,826           Height (mm)         905 / 840           Head room first row / second row (mm)         987 / 953           Shoulder room first row / second row (mm)         1,737 / 883           Gross vehicle weight (kg)         3,330           Waximum braked trailer weight (kg)         3,330		'PHEV'
BEFORMANCE INFORMATION         188 (120)           Maximum speed (km/h) (EV only)         188 (120)           Acceleration O-100km/h (seconds)         11           Fuel Consumption - Low (l/100km)         -           Fuel Consumption - Hedium (l/100km)         -           Fuel Consumption - Extra High (l/100km)         -           Fuel Consumption - Extra High (l/100km)         -           Fuel Consumption - Combined (l/100km)         -           Fuel Consumption - Weighted Combined (l/100km)         1.7           Regulated Emission Standard         Euro-6d           Carbon Dioxide (CO2) Emissions (g/km)         38           Electric Energy Consumption, ECAC Weighted (km/km)         132           Electric Energy Consumption, ECAC Weighted (kWh/100km)         13.2           Electric Range, EAER Weighted (km)         4.2           Electric Range, EAER Weighted (km)         4.2           Electric Range City, EAER Weighted (km)         4.2           Electric Range City, EAER Weighted (km)         4.395           Wildlin (mm)         4.395           Medible (mm)         4.396           Weight (km)         9.65           Durchang front / rear (mm)         9.65           Deverhang front / rear (mm)         9.67           Shoulder room first	WITP FILE CONSUMPTION EMISSIONS	
Acceleration 0-100km/h (seconds)         11           Fuel Consumption - Low (I/100km)         -           Fuel Consumption - Medium (I/100km)         -           Fuel Consumption - Extra High (I/100km)         -           Fuel Consumption - Extra High (I/100km)         -           Fuel Consumption - Combined (I/100km)         -           Fuel Consumption - Weighted Combined (I/100km)         1.7           Regulated Emission Standard         Euro-6d           Carbon Dioxide (CO2) Emissions (g/km)         38           Electric Energy Consumption, ECAC Weighted (Wh/km)         13.2           Electric Energy Consumption, ECAC Weighted (kM)/100km)         13.2           Electric Range, EAER Weighted (km)         42           Electric Range (Tity, EAER Weighted (km)         54           DIMENSIONS, WEIGHT & CAPACITY         54           Energh (mm)         4,395           Midth (mm)         1,826           Height (mm)         905 / 840           Head room first row / second row (mm)         905 / 840           Head room first row / second row (mm)         905 / 840           Head room first row / second row (mm)         1,737 / 883           Gross vehicle weight (kg)         2,030           Kerb weight (kg)         3,330           Gross t	& PERFORMANCE INFORMATION	
Fuel Consumption - Low (I/100km)         -           Fuel Consumption - Medium (I/100km)         -           Fuel Consumption - High (I/100km)         -           Fuel Consumption - Extra High (I/100km)         -           Fuel Consumption - Weighted Combined (I/100km)         -           Fuel Consumption - Weighted Combined (I/100km)         1.7           Regulated Emission Standard         Euro-6d           Carbon Dioxide (CO2) Emissions (g/km)         38           Electric Energy Consumption, ECAC Weighted (Wh/km)         132           Electric Energy Consumption, ECAC Weighted (kWh/I00km)         13.2           Electric Range, EAER Weighted (km)         42           Electric Range City, EAER Weighted (km)         54           DIMENSIONS, WEIGHT & CAPACITY         54           Leight (mm)         4,395           Width (mm)         1,826           Height (mm)         2,650           Overhang front / rear (mm)         905 / 840           Head from first row / second row (mm)         987 / 953           Overhang front frest row / second row (mm)         1,073 / 883           Gross train weight (kg)         1,030           Kerb weight (kg)         1,330           Maximum braked trailer weight (kg)         1,00           Maximum tow ba	Maximum speed (km/h) (EV only)	188 (120)
Fuel Consumption - High (I/100km)         -           Fuel Consumption - Ligh (I/100km)         -           Fuel Consumption - Extra High (I/100km)         -           Fuel Consumption - Combined (I/100km)         -           Fuel Consumption - Weighted Combined (I/100km)         1.7           Regulated Emission Standard         Euro-6d           Carbon Dioxide (CO2) Emissions (g/km)         38           Electric Energy Consumption, ECAC Weighted (Wh/km)         132           Electric Energy Consumption, ECAC Weighted (kWh/100km)         13.2           Electric Range, EAER Weighted (km)         42           Electric Range (Thy, EAER Weighted (km)         54           DIMENSIONS, WEIGHT & CAPACITY         4395           Length (mm)         4,395           Width (mm)         1,826           Height (mm)         9,650           Overhang front / rear (mm)         965           Verhang front / rear (mm)         965           Head room first row / second row (mm)         1,428           Every groom first row / second row (mm)         1,727           Every groom first row / second row (mm)         1,073           Every groom first row / second row (mm)         1,073           Every groom first row / second row (mm)         1,073           Ev	Acceleration 0-100km/h (seconds)	11
Fuel Consumption - High (I/100km)         -           Fuel Consumption - Extra High (I/100km)         -           Fuel Consumption - Combined (I/100km)         -           Fuel Consumption - Weighted Combined (I/100km)         1,7           Regulated Emission Standard         Euro-6d           Carbon Dioxide (CO2) Emissions (g/km)         38           Electric Energy Consumption, ECAC Weighted (Wh/km)         13.2           Electric Energy Consumption, ECAC Weighted (kWh/100km)         13.2           Electric Range, EAER Weighted (km)         42           Electric Range City, EAER Weighted (km)         54           DMENSIONS, WEIGHT & CAPACITY         4,395           Width (mm)         1,826           Height (mm)         4,650           Wheelbase (mm)         2,650           Overhang front / rear (mm)         96,5 kd           Head room first row / second row (mm)         1,428 / 1,406           Leg room first row / second row (mm)         1,073 / 883           Gross train weight (kg)         3,330           Waximum un-braked trailer weight (kg)         1,300           Waximum un-braked trailer weight (kg)         600           Waximum un-braked trailer weight (kg)         600           Waximum to ball weight (kg)         600           <	Fuel Consumption - Low (I/100km)	-
Fuel Consumption - Extra High (I/100km)         -           Fuel Consumption - Combined (I/100km)         -           Fuel Consumption - Weighted Combined (I/100km)         1.7           Regulated Emission Standard         Euro-6d           Carbon Dioxide (CO2) Emissions (g/km)         38           Electric Energy Consumption, ECAC Weighted (Wh/km)         132           Electric Range, EAER Weighted (km)         42           Electric Range, EAER Weighted (km)         54           Electric Range City, EAER Weighted (km)         54           Electric Range City, EAER Weighted (km)         1,826           Height (mm)         4,395           Width (mm)         1,826           Height (mm)         2,650           Wheelbase (mm)         2,650           Overhang front / rear (mm)         905 / 840           Head room first row / second row (mm)         987 / 953           Shoulder room first row / second row (mm)         1,073 / 883           Gross vehicle weight limit (kg)         2,030           Gross train weight (kg)         1,635           Gross train weight (kg)         1,635           Gross train weight (kg)         1,636           Maximum braked trailer weight (kg)         600           Maximum to ball weight (kg)         60	Fuel Consumption - Medium (I/100km)	-
Fuel Consumption - Combined (I/100km)         -           Fuel Consumption - Weighted Combined (I/100km)         1.7           Regulated Emission Standard         Euro-6d           Carbon Dioxide (CO2) Emissions (g/km)         38           Electric Energy Consumption, ECAC Weighted (Wh/km)         132           Electric Energy Consumption, ECAC Weighted (kWh/100km)         13.2           Electric Range, EAER Weighted (km)         42           Electric Range Eder Weighted (km)         54           DIMENSIONS, WEIGHT & CAPACITY         54           Length (mm)         1,826           Height (mm)         1,826           Height (mm)         2,650           Overhang front / rear (mm)         905 / 840           Head room first row / second row (mm)         987 / 953           Shoulder room first row / second row (mm)         1,428 / 1,406           Leg room first row / second row (mm)         1,073 / 883           Gross vehicle weight limit (kg)         2,030           Kerb weight (kg)         1,330           Maximum braked trailer weight (kg)         1,300           Maximum un-braked trailer weight (kg)         600           Maximum tow ball weight (kg)         80           Luggage compartment capacity, (rear seats upright (litres)         291 <td>Fuel Consumption - High (I/100km)</td> <td>-</td>	Fuel Consumption - High (I/100km)	-
Euel Consumption - Weighted Combined (I/100km)         1.7           Regulated Emission Standard         Euro-6d           Carbon Dioxide (CO2) Emissions (g/km)         38           Electric Energy Consumption, ECAC Weighted (Wh/km)         132           Electric Energy Consumption, ECAC Weighted (kWh/100km)         13.2           Electric Range, EAER Weighted (km)         42           Electric Range City, EAER Weighted (km)         54           DIMENSIONS, WEIGHT & CAPACITY           Length (mm)         4,395           Width (mm)         1,826           Height (mm)         1,490           Wheelbase (mm)         905 / 840           Deverhang front / rear (mm)         905 / 840           Head room first row / second row (mm)         987 / 953           Shoulder room first row / second row (mm)         1,428 / 1,406           Leg room first row / second row (mm)         1,073 / 883           Gross vehicle weight limit (kg)         2,030           Gross train weight (kg)         1,635           Gross train weight (kg)         3,330           Maximum braked trailer weight (kg)         1,300           Maximum tow ball weight (kg)         600           Maximum tow ball weight (kg)         80           Luggage compartment capacity, rear	Fuel Consumption - Extra High (I/100km)	-
Regulated Emission Standard         Euro-6d           Carbon Dioxide (CO2) Emissions (g/km)         38           Electric Energy Consumption, ECAC Weighted (Wh/km)         132           Electric Energy Consumption, ECAC Weighted (kWh/100km)         13.2           Electric Range, EAER Weighted (km)         42           Electric Range City, EAER Weighted (km)         54           DIMENSIONS, WEIGHT & CAPACITY           Length (mm)         4,395           Width (mm)         1,826           Height (mm)         1,490           Wheelbase (mm)         2,650           Overhang front / rear (mm)         905 / 840           Head room first row / second row (mm)         987 / 953           Shoulder room first row / second row (mm)         1,428 / 1,406           Leg room first row / second row (mm)         1,073 / 883           Gross vehicle weight limit (kg)         2,030           Kerb weight (kg)         1,635           Gross train weight (kg)         3,330           Maximum braked trailer weight (kg)         1,300           Maximum un-braked trailer weight (kg)         100           Maximum tow ball weight (kg)         100           Maximum tow ball weight (kg)         80           Luggage compartment capacity, rear seats upright (litres	Fuel Consumption - Combined (I/100km)	-
Carbon Dioxide (CO2) Emissions (g/km)         38           Electric Energy Consumption, ECAC Weighted (Wh/km)         132           Electric Energy Consumption, ECAC Weighted (kWh/100km)         13.2           Electric Range, EAER Weighted (km)         42           Electric Range City, EAER Weighted (km)         54           DIMENSIONS, WEIGHT & CAPACITY           Length (mm)         4,395           Width (mm)         1,826           Height (mm)         1,490           Wheelbase (mm)         2,650           Overhang front / rear (mm)         905 / 840           Head room first row / second row (mm)         987 / 953           Shoulder room first row / second row (mm)         1,428 / 1,406           Leg groom first row / second row (mm)         1,073 / 883           Gross vehicle weight limit (kg)         2,030           Kerb weight (kg)         1,635           Gross train weight (kg)         3,330           Maximum braked trailer weight (kg)         1,300           Maximum un-braked trailer weight (kg)         600           Maximum tow ball weight (kg)         100           Maximum tow ball weight (kg)         80           Luggage compartment capacity, rear seats upright (litres)         291	Fuel Consumption - Weighted Combined (I/100km)	1.7
Electric Energy Consumption, ECAC Weighted (Wh/km)         132           Electric Energy Consumption, ECAC Weighted (kWh/100km)         13.2           Electric Range, EAER Weighted (km)         42           Electric Range City, EAER Weighted (km)         54           DIMENSIONS, WEIGHT & CAPACITY           Length (mm)         4,395           Width (mm)         1,826           Height (mm)         1,490           Wheelbase (mm)         2,650           Overhang front / rear (mm)         905 / 840           Head room first row / second row (mm)         987 / 953           Shoulder room first row / second row (mm)         1,428 / 1,406           Leg room first row / second row (mm)         1,073 / 883           Gross vehicle weight limit (kg)         2,030           Kerb weight (kg)         1,635           Gross train weight (kg)         3,330           Maximum braked trailer weight (kg)         1,300           Maximum tow ball weight (kg)         600           Maximum tow ball weight (kg)         100           Luggage compartment capacity, rear seats upright (litres)         291	Regulated Emission Standard	Euro-6d
Electric Energy Consumption, ECAC Weighted (kWh/100km)         13.2           Electric Range, EAER Weighted (km)         54           DIMENSIONS, WEIGHT & CAPACITY           Length (mm)         4,395           Width (mm)         1,826           Height (mm)         2,650           Overhang front / rear (mm)         905 / 840           Head room first row / second row (mm)         987 / 953           Shoulder room first row / second row (mm)         1,428 / 1,406           Leg room first row / second row (mm)         1,073 / 883           Gross vehicle weight (limit (kg)         2,030           Kerb weight (kg)         3,330           Maximum braked trailer weight (kg)         3,330           Maximum braked trailer weight (kg)         600           Maximum tow ball weight (kg)         100           Roof load capacity (kg)         80           Luggage compartment capacity, rear seats upright (litres)         291	Carbon Dioxide (CO2) Emissions (g/km)	38
Electric Range, EAER Weighted (km)       42         Electric Range City, EAER Weighted (km)       54         DIMENSIONS, WEIGHT & CAPACITY         Length (mm)       4,395         Width (mm)       1,826         Height (mm)       1,490         Wheelbase (mm)       2,650         Overhang front / rear (mm)       905 / 840         Head room first row / second row (mm)       987 / 953         Shoulder room first row / second row (mm)       1,428 / 1,406         Leg room first row / second row (mm)       1,073 / 883         Gross vehicle weight limit (kg)       2,030         Kerb weight (kg)       3,330         Maximum braked trailer weight (kg)       3,330         Maximum braked trailer weight (kg)       600         Maximum tow ball weight (kg)       100         Roof load capacity (kg)       80         Luggage compartment capacity, rear seats upright (litres)       291	Electric Energy Consumption, ECAC Weighted (Wh/km)	132
Electric Range City, EAER Weighted (km)         54           DIMENSIONS, WEIGHT & CAPACITY           Length (mm)         4,395           Width (mm)         1,826           Height (mm)         2,650           Overhang front / rear (mm)         905 / 840           Head room first row / second row (mm)         987 / 953           Shoulder room first row / second row (mm)         1,428 / 1,406           Leg room first row / second row (mm)         1,073 / 883           Gross vehicle weight limit (kg)         2,030           Kerb weight (kg)         1,635           Gross train weight (kg)         3,330           Maximum braked trailer weight (kg)         1,300           Maximum un-braked trailer weight (kg)         600           Maximum tow ball weight (kg)         100           Roof load capacity (kg)         80           Luggage compartment capacity, rear seats upright (litres)         291	Electric Energy Consumption, ECAC Weighted (kWh/100km)	13.2
DIMENSIONS, WEIGHT & CAPACITY  Length (mm)  Width (mm)  Alag5  Height (mm)  Wheelbase (mm)  Diverhang front / rear (mm)  Head room first row / second row (mm)  Shoulder room first row / second row (mm)  Shoulder room first row / second row (mm)  Leg room first row / second row (mm)  Cross vehicle weight limit (kg)  Alag5  Cross vehicle weight limit (kg)  Alag5  Cross train weight (kg)  Maximum braked trailer weight (kg)  Maximum braked trailer weight (kg)  Maximum un-braked trailer weight (kg)  Maximum tow ball weight (kg)  Roof load capacity (kg)  Luggage compartment capacity, rear seats upright (litres)  Divertion (mm)  Alag5  Alag5  Bross vehicle weight (kg)  Bross vehi	Electric Range, EAER Weighted (km)	42
Length (mm)       4,395         Width (mm)       1,826         Height (mm)       1,490         Wheelbase (mm)       2,650         Overhang front / rear (mm)       905 / 840         Head room first row / second row (mm)       987 / 953         Shoulder room first row / second row (mm)       1,428 / 1,406         Leg room first row / second row (mm)       1,073 / 883         Gross vehicle weight limit (kg)       2,030         Kerb weight (kg)       1,635         Gross train weight (kg)       3,330         Maximum braked trailer weight (kg)       1,300         Maximum un-braked trailer weight (kg)       600         Maximum tow ball weight (kg)       80         Luggage compartment capacity, rear seats upright (litres)       291	Electric Range City, EAER Weighted (km)	54
Length (mm)       4,395         Width (mm)       1,826         Height (mm)       1,490         Wheelbase (mm)       2,650         Overhang front / rear (mm)       905 / 840         Head room first row / second row (mm)       987 / 953         Shoulder room first row / second row (mm)       1,428 / 1,406         Leg room first row / second row (mm)       1,073 / 883         Gross vehicle weight limit (kg)       2,030         Kerb weight (kg)       1,635         Gross train weight (kg)       3,330         Maximum braked trailer weight (kg)       1,300         Maximum un-braked trailer weight (kg)       600         Maximum tow ball weight (kg)       80         Luggage compartment capacity, rear seats upright (litres)       291	DIMENSIONS, WEIGHT & CAPACITY	
Height (mm)       1,490         Wheelbase (mm)       2,650         Overhang front / rear (mm)       905 / 840         Head room first row / second row (mm)       987 / 953         Shoulder room first row / second row (mm)       1,428 / 1,406         Leg room first row / second row (mm)       1,073 / 883         Gross vehicle weight limit (kg)       2,030         Kerb weight (kg)       1,635         Gross train weight (kg)       3,330         Maximum braked trailer weight (kg)       1,300         Maximum tow ball weight (kg)       600         Maximum tow ball weight (kg)       100         Roof load capacity (kg)       80         Luggage compartment capacity, rear seats upright (litres)       291	Length (mm)	4,395
Wheelbase (mm)       2,650         Overhang front / rear (mm)       905 / 840         Head room first row / second row (mm)       987 / 953         Shoulder room first row / second row (mm)       1,428 / 1,406         Leg room first row / second row (mm)       1,073 / 883         Gross vehicle weight limit (kg)       2,030         Kerb weight (kg)       1,635         Gross train weight (kg)       3,330         Maximum braked trailer weight (kg)       1,300         Maximum tow ball weight (kg)       600         Maximum tow ball weight (kg)       100         Roof load capacity (kg)       80         Luggage compartment capacity, rear seats upright (litres)       291	Width (mm)	1,826
Overhang front / rear (mm)905 / 840Head room first row / second row (mm)987 / 953Shoulder room first row / second row (mm)1,428 / 1,406Leg room first row / second row (mm)1,073 / 883Gross vehicle weight limit (kg)2,030Kerb weight (kg)1,635Gross train weight (kg)3,330Maximum braked trailer weight (kg)1,300Maximum un-braked trailer weight (kg)600Maximum tow ball weight (kg)100Roof load capacity (kg)80Luggage compartment capacity, rear seats upright (litres)291	Height (mm)	1,490
Head room first row / second row (mm)  Shoulder room first row / second row (mm)  1,428 / 1,406 Leg room first row / second row (mm)  1,073 / 883  Gross vehicle weight limit (kg)  Kerb weight (kg)  Gross train weight (kg)  Maximum braked trailer weight (kg)  Maximum un-braked trailer weight (kg)  Maximum tow ball weight (kg)  Luggage compartment capacity, rear seats upright (litres)	Wheelbase (mm)	2,650
Shoulder room first row / second row (mm)  Leg room first row / second row (mm)  1,428 / 1,406  Leg room first row / second row (mm)  3,073 / 883  Gross vehicle weight limit (kg)  3,030  Kerb weight (kg)  3,330  Maximum braked trailer weight (kg)  4,000  Maximum un-braked trailer weight (kg)  5,000  Maximum tow ball weight (kg)  6,000  Maximum tow ball weight (kg)  1,000  Roof load capacity (kg)  1,000  1	Overhang front / rear (mm)	905 / 840
Leg room first row / second row (mm)  Gross vehicle weight limit (kg)  Cerb weight (kg)  Gross train weight (kg)  Maximum braked trailer weight (kg)  Maximum un-braked trailer weight (kg)  Maximum tow ball weight (kg)  Luggage compartment capacity, rear seats upright (litres)	Head room first row / second row (mm)	987 / 953
Gross vehicle weight limit (kg)  Kerb weight (kg)  Gross train weight (kg)  Maximum braked trailer weight (kg)  Maximum un-braked trailer weight (kg)  Maximum tow ball weight (kg)  Goof load capacity (kg)  Luggage compartment capacity, rear seats upright (litres)  2,030  1,635  3,330  1,300  1,300  100  800  291	Shoulder room first row / second row (mm)	1,428 / 1,406
Kerb weight (kg)1,635Gross train weight (kg)3,330Maximum braked trailer weight (kg)1,300Maximum un-braked trailer weight (kg)600Maximum tow ball weight (kg)100Roof load capacity (kg)80Luggage compartment capacity, rear seats upright (litres)291	Leg room first row / second row (mm)	1,073 / 883
Gross train weight (kg)  Maximum braked trailer weight (kg)  Maximum un-braked trailer weight (kg)  Maximum tow ball weight (kg)  Roof load capacity (kg)  Luggage compartment capacity, rear seats upright (litres)  3,330  1,300  600  800  291	Gross vehicle weight limit (kg)	2,030
Maximum braked trailer weight (kg)  Maximum un-braked trailer weight (kg)  Maximum tow ball weight (kg)  Roof load capacity (kg)  Luggage compartment capacity, rear seats upright (litres)  1,300  600  800  291	Kerb weight (kg)	1,635
Maximum un-braked trailer weight (kg) 600  Maximum tow ball weight (kg) 100  Roof load capacity (kg) 80  Luggage compartment capacity, rear seats upright (litres) 291	Gross train weight (kg)	3,330
Maximum tow ball weight (kg)  Roof load capacity (kg)  Luggage compartment capacity, rear seats upright (litres)  100  291	Maximum braked trailer weight (kg)	1,300
Roof load capacity (kg) 80 Luggage compartment capacity, rear seats upright (litres) 291	Maximum un-braked trailer weight (kg)	600
Luggage compartment capacity, rear seats upright (litres) 291	Maximum tow ball weight (kg)	100
	Roof load capacity (kg)	80
Luggage compartment capacity, rear seats folded (litres) 1,243	Luggage compartment capacity, rear seats upright (litres)	291
	Luggage compartment capacity, rear seats folded (litres)	1,243





### **Model Comparison**

### **EXTERIOR BODY COLOURS**













Casa White

Infra Red

Cosmo Blue\*\*

Lunar Silvei

Dark Penta Metal\*

Black Pearl

### **INTERIOR TRIM**



**PHEV** - Dark Grey Cloth and Faux Leather Seat Bolsters with Blue Piping

### WHEEL DESIGN



PHEV - 18" alloy

Premium Paint	Cost
XCeed PHEV**	€500



